

1/1 - (C) Derwent
 AN - 80-77392C 44
 TI - Self-polishing shoe- and leather care compsn. - contg. opt. oxidised polyethylene wax, montanate wax and acrylate polymer mixt., plasticiser and solvent
 DC - A97 G02 A18 P28
 PA - (HENK) HENKEL KG AUF AKTIEN
 (PERS-) PERSIL GMBH
 IN - FRIESER E P; PFEIFER F
 NP - 6
 PN - EP--17119 A 801016 DW8044
 BM8001832 A 801119 DW8049
 ZA8001748 A 810212 DW8117
 AT7902275 A 810815 DW8136
 EP--17119 B 820428 DW8218
 DE3060323 G 820609 DW8224
 DS - BE CH DE FR GB IT NL SE BE CH DE FR GB IT NL SE
 LA - G G
 PR - 79AT-002275 790327
 CT - DE1812147 FR1084641 DE1812147 FR1084641
 IC - C09G-001/10 C14C-011/00 A47L-000/00 C14C-000/00
 AB - EP--17119 Self-polishing shoe- and leather-care compsn. contains. pref. by wt., 4.5-18% ternary wax/polymer mixt., 0.5-2% liq.

plasticisers, 2-10 (5) % water-soluble organic solvents and opt. additives, e.g. wetting- and flow control agents, anti-foaming additive, preservative and perfume.

The ternary wax/polymer mixt. pref. contains ≥ 1 of (a) polyethylen (PE) waxes, exp. anoxidised PE waxes contg. ester, carbonyl or OH functional gps. in addn. to COOH gps., (b) metal salt-free acrylate or styrene-acrylate copolymers and (c) montanic acid ester waxes.

The polish resists wear. Film-formation is self-controlling and on renewed application previously deposited film is dissolved and new film is homogeneously distributed. The films adhere well, resist buckling and are easily applied, e.g. with a foam sponge or dispenser.